




# COUNTY

COMPLETE CAR  
BARE CHASSIS

# COUNTY STANDARD BODY

HYUNDAI BUS




Drive type	Left Hand Drive, 4 x 2								
Body type	STANDARD								
Seat capacity	14+1, 15+1, 18+1, 24+1								
Suspension type	Leaf / Rigid								
Trim	Deluxe / Standard								
Door type	Mid door / Mid & Rear Door								
<b>Dimensions (mm)</b>									
Overall	Lenght	6,350							
	Width	2,035							
	Height	2,630 (ROOF ELECTRIC VENTILATOR : 2,755)							
Wheel Base	3,350								
Wheel Tread	Front	1,705							
	Rear	1,495							
Overhang	Front	1,195							
	Rear	1,805							
Min. Ground Clearance	195								
<b>Weight (kg)</b>									
Seat capacity	STD WB, 24+1								
Engine	D4AF	D4DC	D4DB-D	D4DB	D4DD	D4GA14	D4GA15	D4GA17	
Empty Vehicle Weight (Cargo)	3,760	3,845	3,845	3,845	3,985	4,155	4,185	4,210	
	Front	1,820	1,890	1,890	1,890	1,965	2,110	2,120	2,145
	Rear	1,940	1,955	1,955	1,955	2,020	2,045	2,065	2,065
* Max Gross Vehicle Weight	5,385	5,470	5,470	5,470	5,610	5,780	5,810	5,835	
	Front	2,215	2,270	2,270	2,270	2,345	2,490	2,500	2,525
	Rear	3,170	3,200	3,200	3,200	3,265	3,290	3,310	3,310

\* Max.GWW includes the front & rear axle loads based on the permissible tire load.

# COUNTY LONG BODY

HYUNDAI BUS



Drive type	Left Hand Drive, 4 x 2							
Body type	LONG							
Seat capacity	19+1, 24+1, 26+1, 28+1, 29+1							
Suspension type	Leaf / Rigid							
Trim	Deluxe / Standard							
Door type	Mid door / Mid & Rear Door							
<b>Dimensions (mm)</b>								
Overall	Lenght	7,085						
	Width	2,035						
	Height	2,630 (ROOF ELECTRIC VENTILATOR: 2,755)						
Wheel Base	4,085							
Wheel Tread	Front	1,705						
	Rear	1,495						
Overhang	Front	1,195						
	Rear	1,805						
Min. Ground Clearance	195							
<b>Weight (kg)</b>								
Seat capacity	LONG WB, 28+1							
Engine	D4DC	D4DB-D	D4DB	D4DD	D4GA14	D4GA15	D4GA17	
Empty Vehicle Weight (Cargo)	4,085	4,085	4,085	4,180	4,295	4,425	4,490	
	Front	2,020	2,020	2,020	2,105	2,170	2,280	2,335
	Rear	2,065	2,065	2,065	2,075	2,125	2,145	2,155
* Max Gross Vehicle Weight	5,970	5,970	5,970	6,065	6,180	6,310	6,375	
	Front	2,545	2,545	2,545	2,630	2,695	2,805	2,860
	Rear	3,425	3,425	3,425	3,435	3,485	3,505	3,515

\* Max.GVV includes the front & rear axle loads based on the permissible tire load.

Chassis Specifications									
Engine									
Engine model	D4AF	D4DC	D4DB-D	D4DB	D4DD	D4GA14	D4GA15	D4GA17	
Type	NA (natural aspiration)		TCl (turbo charger intercooler)						
Number of Cylinder	4 stroke-cycle, water-cooled, direct-injection diesel engine								
Piston Displacement (cc)	4 in-line								
	3,568	3,907			3,933				
Max. Power** (ps/rpm)	General	100 / 3,400						-	
	Euro I	-	105 / 3,200		155(Gen), 130(Tropic/ Cold) / 2,900			-	
	Euro II	-		115 / 2,900	130 / 2,900			-	
	Euro III	-				140 / 2,800		-	
	Euro IV	-					140 / 2,700	150 / 2,500	-
	Euro V	-							170 / 2,500
Max. Torque ** (kg.m/rpm)	General	24 / 2,000						-	
	Euro I	-	27 / 2,000		38 / 1,600			-	
	Euro II	-		30 / 1,800	30 / 2,000			-	
	Euro III	-				38 / 1,600		-	
	Euro IV	-					40 / 1,400	59 / 1,400	-
	Euro V	-							62 / 1,400
Electrical System	Battery	24V-80AH (24V-100AH: Cold Region only)							
	Alternator	24V-40A (OPT:24V-70A)				24V-55A (OPT : 24V-80A)			

Max. torque and power of engine specifications may vary according to each country.

HYUNDAI BUS\_COUNTY


Transmission		
Type	5 forward and 1 reverse speed 6 forward 1 reverse	
Tire & Wheel		
Type	Single Front, Dual Rear	
Tire	Front / Rear	7.00R 16 - 10PR (Stanard WB), 7.00R 16 - 12PR (Long WB), 205/75R17.5-10PR (OPT, D4GA14/15/17 ENGINE : STD)
Wheel	Front / Rear	5.50F x 16 x 115 x 8T (STD), 5.25 x 17.5 x 115 (OPT, D4GA14/15/17 : STD)
Steering		
Type	2-Spoke, Ball-nut type, Tilt & Telescopic steering column	
Service Brake		
Type	Hydraulic with vacuum servo assistance, dual circuit	

HYUNDAI BUS\_COUNTY


Suspension			
Type	Front	Semi-elliptic, laminated leaf springs with shock absorber	Rigid Axle Suspension, Parabolic Leaf Springs
	Rear	Semi-elliptic, laminated leaf springs with shock absorber	
Shock absorber	Front / Rear	Hydraulic double acting telescopic type	
Fuel tank			
Capacity	95 liter		
Material	Steel		
Frame			
Type	Channel sectional with reinforce & cross members. Side rail is reinforced with outer stiffeners.		

**Seat Layout**

**Standard Body**





**Long Body**



# COUNTY BARE CHASSIS

HYUNDAI BUS





Drive type	Left Hand Drive, 4 x 2			
Body type	STANDARD			
Suspension type	Leaf / Rigid			
<b>Dimensions (mm)</b>				
Overall	Lenght	6,295		
	Width	1,925		
	Height	1,725		
Wheel Base	3,350			
Wheel Tread	Front	1,705 (Leaf/Rigid)		
	Rear	1,495		
Overhang	Front	1,175 (1,122 : frame)		
	Rear	1,770 (1,658: frame)		
Min. Ground Clearance	195			
<b>Weight (kg)</b>				
Engine	D4DD	D4GA14	D4GA15	
Suspension type	Leaf/Rigid			
Empty Vehicle Weight (Cargo)		2,025	2,025	2,060
	Front	1,180	1,180	1,205
	Rear	845	845	855
* Max Gross Vehicle Weight		6,670		
	Front	2,570		
	Rear	4,100		

\* Max.GVW includes the front & rear axle loads based on the permissible tire load.

# COUNTY BARE CHASSIS

HYUNDAI BUS



Drive type	Left Hand Drive, 4 x 2			
Body type	LONG			
Suspension type	Leaf / Rigid, Coil / Independent			
<b>Dimensions (mm)</b>				
Overall	Lenght	7,030		
	Width	1,925		
	Height	1,725		
Wheel Base	4,085			
Wheel Tread	Front	1,705 (Leaf/Rigid), 1,714 (Coil/Independent)		
	Rear	1,495		
Overhang	Front	1,175 (1,122 : frame)		
	Rear	1,770 (1,658: frame)		
Min. Ground Clearance	195			
<b>Weight (kg)</b>				
Engine	D4GA14	D4GA15	D4GA14	D4GA15
Suspension type	Leaf/Rigid		Coil/Independent	
Empty Vehicle Weight (Cargo)		2,285	2,315	2,375
	Front	1,400	1,405	1,460
	Rear	885	910	915
* Max Gross Vehicle Weight		7,400		
	Front	3,000		
	Rear	4,400		

\* Max.GVV includes the front & rear axle loads based on the permissible tire load.